

Woodtype	CHERRY steamed
Description	3-Layers of the same wood. Steamed with "Grander-water". Reddish warm colour with the characteristic texture. The sorting Wohngefühl is knotty, with a medium structure.
Brinell hardness Gross density	3,5 kp 0,66 g   cm³ The larger the gross density, the harder the wood and the parquet

### 1-Strip Country House Flooring CHERRY steamed Wohngefühl "Schönbrunn"

# Schönbrunn

#### Surfaces

- Oil | wax oxidative dried
- ✓ Varnished 7-times
- ☑ Rough (only on order)
- ☑ Brushed
- Bevel
- ☐ Special colour

#### Also deliverable as


☑ Englischer Stab (fixlength 95 cm)



Symbol picture - can vary in colour and structure

Sorting guidelines	Wohngefühl
Healthy knots	allowed (partly filled)
Black knots	to approx. 35 mm allowed (partly filled)
Healthy red heart	not allowed
Healthy heartwood	not allowed
Shakes	scattered allowed (partly filled)
Curled spot   differences in structure	scattered allowed
Natural differences in colour	allowed
Natural run of structure	to max. 1   3 allowed
Wormholes & insect-ate-spot	not allowed
Sap	not allowed
Red or brown spots	scattered allowed
Stain from storage and light blueness	not allowed
Knocked spots	not allowed
Mirror	not allowed

Technical data		
Thickness 15 mm	Useful layer: approx. 5 mm	
Width 145 mm Length Lengthsy	stem 2-3 pieces 190 cm	
,	pkg.) 10-12 pieces 95 cm	
Combination Tongue and groove		
m² pkg. 2,21	m²   pal. 108,29	
kg pkg. 21,6	kg pal. 1060	
<ul> <li>✓ Floating laying</li> <li>✓ Glued laying</li> <li>✓ Possible on underfloor heating glue-fitted all over with solvent-free glue</li> </ul>		





Woodtype	CHERRY steamed
Description	3-Layers of the same wood. Steamed with "Grander-water". Reddish warm colour with the characteristic texture. The sorting Ambiente is light to medium knotty, with a lively structure.
Brinell hardness Gross density	3,5 kp 0,66 g   cm³ The larger the gross density, the harder the wood and the parquet

### 1-Strip Country House Flooring CHERRY steamed Ambiente City Star "Brüssel"

# Brüssel

#### Surfaces

- Oil | wax oxidative dried
- ✓ Varnished 7-times
- $\square$  Rough (only on order)
- □ Brushed
- □ Bevel
- ☐ Special colour

#### Laying

- ☑ 2-Lengthsystem
- ☑ Ladder optic
- ☑ Herringbone 47,5 cm





Symbol picture - can vary in colour and structure

Sorting guidelines	Ambiente
Healthy knots	to ø 10 mm allowed (partly filled)
Black knots	to ø 10 mm allowed (partly filled)
Healthy red heart	not allowed
Healthy heartwood	not allowed
Shakes	not allowed
Curled spot   differences in structure	allowed
Natural differences in colour	allowed
Natural run of structure	allowed
Wormholes & insect-ate-spot	not allowed
Sap	allowed
Red or brown spots	allowed
Stain from storage and light blueness	allowed
Knocked spots	allowed
Mirror	not allowed

Technical data		
	Useful layer: approx. 5 mm stem 5 pieces 95 cm   pkt.) 6 pieces 47,5 cm and groove	
m² pkg. 0,88	m² pal. 55,44	
kg pkg.8,6	kg pal. 542	
<ul> <li>✓ Floating laying</li> <li>✓ Glued laying</li> <li>✓ Possible on underfloor heating glue-fitted all over with solvent-free glue</li> </ul>		







Woodtype	CHERRY steamed
Description	3-Layers of the same wood. Steamed with "Grander-water". Reddish warm colour with the characteristic texture. The sorting Klassiker is essential without knots, with a simple structure.
Brinell hardness Gross density	3,5 kp 0,66 g   cm³ The larger the gross density, the harder the wood and the parquet

## 2-Strip Plank Flooring CHERRY steamed "Klassiker"

# Klassiker Surfaces ☑ Oil | Wax oxidative dried

- ✓ Varnished 7-times
- Rough (only on order)
- □ Brushed
- □ Bevel
- ☐ Special colour

#### Laying

☑ Herringbone 47,5 cm



Sorting guidelines	Klassiker
Healthy knots	scattered to ø 5 mm allowed
Black knots	scattered to ø 5 mm allowed
Healthy red heart	not allowed
Healthy heartwood	not allowed
Shakes	not allowed
Curled spot   differences in structure	scattered allowed
Natural differences in colour	partly allowed
Natural run of structure	partly allowed
Wormholes & insect-ate-spot	not allowed
Sap	not allowed
Red or brown spots	scattered allowed
Stain from storage and light blueness	not allowed
Knocked spots	not allowed
Mirror	not allowed

Technical data	
Thickness 1.5 mm Width 1.40 mm Length Fixlength (8 Layers) Combination Tongue a	
m² pkg. 2,69	m² pal. 112,98
kg pkg. 26,2	kg pal. 1104
<ul> <li>✓ Floating laying</li> <li>✓ Glued laying</li> <li>✓ Possible on underfloor heating glue-fitted all over with solvent-free glue</li> </ul>	

